

**NEUROLOGISCHE KLINIK UND POLIKLINIK
PUBLIKATIONEN 2010**

Achnichts, L., Penner, I.K., Amann, M., Hirsch, J., Wu, W.E., Rigotti, D., Babb, J.S., Kappos, L., Gonen, O., & Gass, A. (2010). Fatigue in multiple sclerosis: relationship of different MR markers. *Multiple Sclerosis*, 16, S126.
Impact Factor 3.279

Alonso A, **Gass A**, Griebe M, Kern R, Rossmann C, Hennerici MG, Szabo K.
Isolated ischaemic lesions in the foot motor area mimic peripheral lower-limb palsy
J Neurol Neurosurg Psychiatry. 2010 Jul;81(7):822-3.
Impact Factor 2.510

AMANN M, DÖSSEGGER LS, **PENNER IK**, HIRSCH JG, RASELLI C, **CALABRESE P**, **WEIER K**, **RADÜ EW**, **KAPPOS L**, **GASS A**
Altered functional adaptation to attention and working memory tasks with increasing complexity in relapsing-remitting multiple sclerosis patients
Hum Brain Mapp 2010 Nov 12,
Impact Factor 6.256

Arbusow V, **Derfuss T**, Held K, Himmelein S, Strupp M, Gurkov R, Brandt T, Theil D
Latency of herpes simplex virus type-1 in human geniculate and vestibular ganglia is associated with infiltration of CD8+ T cells
J Med Virol. 2010; 82(11):1917-20.
Impact Factor 2.470

Azakir B, Sabrina Di Fulvio S, Therrien C and **Sinnreich M**
Dysferlin interacts with tubulin and microtubules in mouse skeletal muscle
PLoS One. 2010 Apr 12;5(4):e10122.,
Impact Factor 4.351

Baumann TP, **Duyar H**, **Sollberger M**, **Kuhle J**, Regeniter A, Gomez-Mancilla B, Schmidke K, Monsch AU
CSF-tau and CSF-Abeta(1-42) in posterior cortical atrophy
Dement Geriatr Cogn Disord, 29(6), 530-533, 2010
(IF: 2.578)

BENDFELDT K, EGGER H, NICHOLS TE, LOETSCHER P, DENIER N, KUSTER P, TRAUD S, MUELLER-LENKE N, **NAEGELIN Y**, **GASS A**, **KAPPOS L**, **RADUE EW**, **BORGWARDT SJ**
Effect of immunomodulatory medication on regional gray matter loss in relapsing-remitting multiple sclerosis – a longitudinal MRI study
Brain Res 2010 April 14;1325:174-82,
Impact Factor 2.463

BENDFELDT K, BLUMHAGEN JO, EGGER H, LOETSCHER P, DENIER N, KUSTER P, TRAUD S, MUELLER-LENKE N, **NAEGELIN Y**, **GASS A**, HIRSCH J, **KAPPOS L**, NICHOLS TE, **RADUE EW**, **BORGWARDT SJ**
Spatiotemporal distribution pattern of white matter lesion volumes and their association with regional grey matter volume reductions in relapsing-remitting multiple sclerosis
Hum Brain Mapp 2010 Oct;31(10):1542-55,
Impact Factor 6.256

BENDFELDT K, KAPPOS L, RADUE EW, BORGWARTD S

Longitudinal spatiotemporal distribution of gray and white matter pathology in multiple sclerosis. *AJNR Am J Neuroradiol* 2010 May;31(5):E45; author reply E46.

BENNINGER D.H. *, LOMAREV M., LOPEZ G., WASSERMANN E.M., LI X., CONSIDINE E., HALLETT M.

Transcranial direct current stimulation in the treatment for Parkinson's disease.

Journal of Neurology, Neurosurgery and Psychiatry 2010;81:1105-1111

ISI Journal Citation Reports © Ranking: 2009: 19/167 (Clinical Neurology)

Impact Factor: 4.869,

BENNINGER D.H. *, MICHEL J., WALDVOGEL D., CANDIA V., PORYAZOVA R., VAN HEDEL H., BASSETTI C.L.

REM sleep behavior disorder is not linked to postural instability and gait dysfunction in Parkinson

Movement Disorders. 2010 Aug 15;25(11):1597-604

ISI Journal Citation Reports © Ranking: 2009, 24/167 (Clinical Neurology)

Impact Factor: 4.014

BENNINGER D.H. *, BERMAN B., HOUDAYER E., PAL N., LUCKENBAUGH D., SCHNEIDER L., MIRANDA S., HALLETT M.:

Intermittent Theta-Burst Transcranial Magnetic Stimulation for the Treatment of Parkinson's Disease

Neurology, 2010 in press

ISI Journal Citation Reports © Ranking: 2009: 4/167 (Clinical Neurology)

Impact Factor: 8.172

BENNINGER D.H. *, LOMAREV M., LOPEZ G., PAL N., LUCKENBAUGH D., HALLETT M.:

Transcranial direct current stimulation for the treatment for focal hand dystonia.

Revised manuscript resubmitted 11/2010 for publication in *Mov Disord*

ISI Journal Citation Reports © Ranking: 2009: 24/167 (Clinical Neurology)

Impact Factor: 4.014

Berrouschot J, Stoll A, **Fluri F, Lyrer P, Engelter S**

Orolinguales Angioödem nach Schlaganfall-Thrombolyse

Nervenheilkunde 2010;29:147-149,

Impact Factor 0.416

Boecker H, Weindl A, Brooks DJ, Ceballos-Baumann A, Liedtke C, Miederer M, **Sprenger T**, Wagner KJ, Miederer I

GABAergic Dysfunction in Essential Tremor: An ¹¹C-Flumazenil PET Study

J Nucl Med 2010;51(7):1030-1035.,

Impact Factor 6.424

Carotid Stenting Trialists' Collaboration, **Bonati LH**, Dobson J, Algra A, Branchereau A, Chatellier G, Fraedrich G, Mali WP, Zeumer H, Brown MM, Mas JL, Ringleb PA.

Short-term outcome after stenting versus endarterectomy for symptomatic carotid stenosis: a preplanned meta-analysis of individual patient data. *Lancet* 2010 September 25;376(9746):1062-73.

Impact Factor 30.758

Bonati LH, Jongen LM, Haller S, Flach HZ, Dobson J, Nederkoorn PJ, Macdonald S, Gaines PA, Waaijer A, Stierli P, Jager HR, **Lyrer PA**, Kappelle LJ, Wetzel SG, van der Lugt A, Mali WP, Brown MM, van der Worp HB, **Engelter ST**, for the ICSS-MRI study group

New ischaemic brain lesions on MRI after stenting or endarterectomy for symptomatic carotid stenosis: a substudy of the International Carotid Stenting Study (ICSS)
Lancet Neurol 2010 April;9(4):353-62,
Impact Factor 30.758

L H Bonati, L M Jongen, S Haller, H Zwenneke Flach, J Dobson, P J Nederkoorn, S Macdonald, P A Gaines, A Waajier, P Stierli, H R Jäger, **P A Lyrer**, L J Kappelle, S G Wetzel, A van der Lugt, W P Mali, M M Brown, H van der Worp, **S T Engelter**, for the ICSS-MRI study group
New ischaemic brain lesions on MRI after stenting or endarterectomy for symptomatic carotid stenosis: a substudy of the International Carotid Stenting Study (ICSS).
Lancet Neurol. 2010 Apr;9(4):353-62. [Epub 2010 Feb 25],
Impact Factor 30.758

Bonati LH, Wetzel SG, Kessel-Schaefer A, Buser P, **Lyrer PA**, **Engelter ST**
Diffusion-weighted imaging findings differ between stroke attributable to spontaneous cervical artery dissection and patent foramen ovale
Eur J Neurol 2010 February;17(2):307-13.
Impact Factor 2.510

Brown MM, Featherstone RL, **Bonati LH**, on behalf of the International Carotid Stenting Study Investigators. Carotid artery stenting versus endarterectomy for carotid stenosis - Authors' reply. *Lancet* 2010 July 31;379(9738):327-8,
Impact Factor 30.758

Calabrese P., **Penner**, I.K., Freedman, M., Polman, C., Edan, G., Hartung, H.-P., Miller, D., Montalban, X., Barkhof, F., Lanius, V., Sandbrink, R., Pohl, C., Stemper, B., & **Kappos L.** (2010). Relationship between cognitive performance and neurological disability in early MS. *Neurology*, 74(9), Suppl2: A163.,
Impact Factor 8.172

Calabrese P., **Naegelin Y.**, **Kappos L.**, & **Penner**, I.K. (2010). Cognitive performance at baseline predicts changes in cognition and cognitive fatigue after a one-year follow-up. *Multiple Sclerosis*, 16, S125.,
Impact Factor 3.279

Carmosino M, Rizzo F, Procino G, Basco D, Valenti G, Forbush B, **Schaeren-Wiemers N**, Caplan MJ, Svelto M
MAL/VIP17, a New Player in the Regulation of NKCC2 in the Kidney
Mol Biol Cell. 2010 Sep 22. ,
Impact Factor 5.979

COHEN JA, BARKHOF F, COMI G, HARTUNG HP, KHATRI BO, MONTALBAN X, PELLETIER J, CAPRA R, GALLOP, IZQUIERDO G, TIEL-WILCK K, de VERA A, JIN J, STITES T, WU S, ARADHYE S, **KAPPOS L**; TRANSFORMS Study Group
Oral fingolimod or intramuscular interferon for relapsing multiple sclerosis
N Engl J Med 2010 Feb 4;362(5):402-15

COHEN JA, **KAPPOS L**
Oral cladribine and Fingolimod for relapsing multiple sclerosis, response letter
N Engl J Med 2010;362:1738-1739

COMI G, O'CONNOR P, MONTALBAN X, ANTEL J, RADUE EW, KARLSSON G, POHLMANN H, ARADHYE S, **KAPPOS L**; FTY720D2201 Study Group
Phase II study of oral Fingolimod (FTY720) in multiple sclerosis: 3-year results
Mult Scler 2010 Feb;16(2):197-207, Impact Factor 3.279

De Stefano N, Giorgio A, Battaglini M, Rovaris M, Sormani MP, Barkhof F, Korteweg T, Enzinger C, Fazekas F, Calabrese M, Dinacci D, Tedeschi G, **Gass A**, Montalban X, Rovira A, Thompson A, Comi G, Miller DH, Filippi M

Assessing brain atrophy rates in a large population of untreated multiple sclerosis subtypes
Neurology. 2010 Jun 8;74(23):1868-76.

Impact Factor 8.172

Douaud G, Jbabdi S, Behrens TE, Menke RA, **Gass A**, Monsch AU, Rao A, Whitcher B, Kindlmann G, Matthews PM, Smith S.

DTI measures in crossing-fibre areas: Increased diffusion anisotropy reveals early white matter alteration in MCI and mild Alzheimer's disease

Neuroimage. 2010 Dec 21. [Epub ahead of print]

Impact Factor 5.739

International Carotid Stenting Study Investigators, Ederle J, Featherstone RL, **Bonati LH**, van der Worp HB, de Borst GJ, Lo TH, Gaines P, Dorman PJ, Macdonald S, **Lyrer PA**, Hendriks JM, McCollum C, Nederkoorn PJ, Brown MM

Carotid artery stenting compared with endarterectomy in patients with symptomatic carotid stenosis (International Carotid Stenting Study): an interim analysis of a randomised controlled trial

Lancet 2010 March 20;375(9719):985-97,

Impact Factor 30.758

Engelster ST Frank M, **Lyrer P**, Conzelmann M

Safety of Pharmacological Augmentation of Stroke Rehabilitation

Eur Neurol 2010;64:325–330 [Epub 2010 November 13th],

Impact Factor 1.494

Escher C, Lochmüller H, **Fischer D**, Ruegg MA et al.

Reverse protein arrays as novel approach for protein quantification in muscular dystrophies.

Neuromuscular Disorders. 2010 May;20(5):302-9.,

Impact Factor 2.977

Fischer M, **Rüegg S**, Czaplinski A, Strohmeier M, Lehmann A, Tschan F, Hunziker PR, Marsch SC

Inter-rater reliability of the FOUR score and the GCS in critically ill Patients: a prospective observational study

Crit Care R64. Epub 2010 Apr 14. (; R: 4/22 in *Critical Care Medicine*)

IF: 4.931

Fluri F, Hatz F, Voss B, **Lyrer PA, Engelster ST**

Etiology of late cerebrovascular events after carotid endarterectomy

Eur J Neurol. 2010 Jul 13., Impact Factor 2.510

International Carotid Stenting Study investigators

Carotid artery stenting compared with endarterectomy in patients with symptomatic carotid stenosis (International Carotid Stenting Study): an interim analysis of a randomised controlled trial.

Lancet 2010 Mar 20;375(9719):985-97. [Epub 2010 Feb 25.],

Impact Factor 30.758

Fluri F, Hatz F, Voss B, **Lyrer P, Engelster S**

Restenosis after carotid endarterectomy: Significance of newly acquired risk factors

Eur J Neurol. 2010;17:493-8.,

Impact Factor 2.510

Fluri F, Engelter S, Lyrer P

Extracranial-intracranial arterial bypass surgery for occlusive carotid artery disease
Cochrane Database Syst Rev. 2010 Feb 17;2:CD005953. PMID: 20166076,
Impact Factor 5.653

Fluri F, Hatz F, Rutgers MP, Georgiadis D, Sekoranja L, Schwegler G, Sarikaya H, Weder B, Müller F, Lüthy R, Arnold M, Reichhart M, Mattle HP, Tettenborn B, Nedeltchev K, Hungerbühler HJ, Sztajzel R, Baumgartner RW, Michel P, **Lyrer PA, Engelter ST**
Intravenous thrombolysis in patients with stroke attributable to small artery occlusion
Eur J Neurol. 2010 Aug;17(8):1054-60. [Epub 2010 Feb 3] PMID: 20136649 ,
Impact Factor 2.510

Fluri F, Hatz F, Rutgers M, Georgiadis D, Sekoranja L, Schwegler G, Sarikaya H, Weder B, Mueller F, Luethy R, Arnold M, Reichhart M, Mattle HP, Tettenborn B, Nedeltchev K, Hungerbühler HJ, Sztajzel R, Baumgartner RW, Michel P, **Lyrer PA, Engelter ST**
Intravenous thrombolysis in patients with stroke attributable to small artery occlusion
Eur J Neurol. 2010;17:1054-60.,
Impact Factor 2.510

Fluri F, Hatz F, Voss B, Lyrer PA, Engelter ST

Etiology of late cerebrovascular events after carotid endarterectomy. Eur J Neurol. 2010 Jul 13. [Epub ahead of print].,
Impact Factor 2.510

Fischer D

Neurogenetik – was ist praxisrelevant und was wird die Zukunft bringen?
Schweiz Med Forum 2010;10(23):397

Fischer D

Klinische Differentialdiagnostik hereditärer Muskeldystrophien
Schweiz Med Forum 2010;10(23):398–402

Foley, F., Benedict, R., **Penner, I.K., Kappos, L.**, Edan, G., Freedman, M.S., Hartung, H.-P., Miller, D.H., Montalban, X., Polman, C.H., Barkhof, F., Lanius, V., Beckmann, K., Stemper, B., Pohl, C., Sandbrink, R., & Pleimes, D. (2010). Treatment effects of IFNB-1b on paced auditory serial addition test performance in patients with a first event suggestive of multiple sclerosis. *Multiple Sclerosis*, 16, S280. ,
Impact Factor 3.279

Förster A, Ottomeyer C, Wolf ME, Kern R, Griebe M, **Gass A**, Hennerici MG, Szabo K.
Dynamic susceptibility contrast perfusion MRI identifies persistent vessel pathology in acute pontine stroke.
Cerebrovasc Dis. 2010;29(4):389-94,
Impact factor 3.535

Förster A, **Gass A**, Kern R, Wolf ME, Hennerici MG, Szabo K.
MR Imaging-Guided Intravenous Thrombolysis in Posterior Cerebral Artery Stroke
AJNR Am J Neuroradiol. 2010 Dec 2. [Epub ahead of print]
Impact Factor 2.903

Frank M, Conzelmann M, Engelter S

Prediction of Discharge Destination after Neurological Rehabilitation in Stroke Patients
Eur Neurol 2010;63:227–233 [Epub 2010 Mar 10]
Impact Factor 1.494

Geddes MR, **Sinnreich M**, Chalk C
Minocycline-induced dermatomyositis
Muscle Nerve. 2010 Apr;41(4):547-9.,
Impact Factor 2.287

Gilli F, **Lindberg RLP**, Valentino P, Marnetto F, Malucchi S, Sala A, Capobianco M, MD,1 di Sapio A, Sperli F, **Kappos L**, Calogero RA, Bertolotto A
Learning from nature: pregnancy changes the expression of inflammation-related genes in patients with Multiple Sclerosis
PLoS One. 2010 Jan 29;5(1):e8962,c,
Impact Factor 4.351

Goadsby PJ, **Sprenger T**
Current practice and future directions in the prevention and acute management of Migraine
Lancet Neurol 2010;9:285–98.,
Impact Factor 30.758

GROSSMAN P, **KAPPOS L**, GENSICKE H, **D'SOUZA M**, MOHR DC, **PENNER IK**,
STEINER C
MS quality of life, depression, and fatigue improve after mindfulness training: a randomized trial
Neurology 2010 Sep 28;75(13):1141-9,
Impact Factor 8.172

Heidbrink C, Häusler SF, Buttman M, Ossadnik M, Strik HM, Keller A, Buck D, Verbraak E, van Meurs M, Krockenberger M, **Mehling M**, Mittelbronn M, Laman JD, Wiendl H, Wischhusen J.
Reduced cortisol levels in cerebrospinal fluid and differential distribution of 11beta-hydroxysteroid dehydrogenases in multiple sclerosis: implications for lesion pathogenesis
Brain Behav Immun. 2010 Aug;24(6):975-84.,
Impact Factor 5.061

JAKKULA E, LEPPÄ V, SULONEN AM, VARILO T, KALLIO S, KEMPPINEN A, PURCELL S, KOIVISTO K, TIENARI P, SUMELAHTI ML, ELOVAARA I, PIRTTILÄ T, REUNANEN M, AROMAA A, OTURAI AB, SØNDERGAARD HB, HARBO HF, MERO IL, GABRIEL SB, MIREL DB, HAUSER SL, **KAPPOS L**, POLMAN C, De JAGER PL, HAFLE DA, DALY MJ, PALOTIE A, SAARELA J, PELTONEN L
Genome-wide association study in a high-risk isolate for multiple sclerosis reveals associated variants in STAT3 gene
Am J Hum Genet 2010 Feb 12;86(2):285-91
Impact Factor 12.303

KAPPOS L, **RADUE EW**, O'CONNOR P, POLMAN C, HOHLFELD R, CALABRESI P, SELMAJ K, AGOROPOULOU C, LEYK M, ZHANG-AUBERSON L, BURTIN P; FREEDOMS Study Group
A placebo-controlled trial of oral fingolimod in relapsing multiple sclerosis
N Engl J Med 2010 Feb 4;362(5):387-401

KAPPOS L, **MEHLING M**
Images in clinical medicine. Dissociation of voluntary and emotional innervation after stroke
N Engl J Med 2010 Oct 14;363(16):e25

Kappos L, Mehling M

Dissociation of voluntary and emotional innervation after stroke.
N Engl J Med. 2010 Oct 14;363(16) (case report)

Katan M, **Fluri F**, Schuetz P, Morgenthaler NG, Zweifel C, Bingisser R, **Kappos L, Steck A, Engelter ST**, Müller B, Christ-Crain M

Midregional pro-atrial natriuretic peptide and outcome in patients with acute ischemic stroke
J Am Coll Cardiol. 2010 Sep 21;56(13):1045-53.,
Impact Factor 12.640

M Katan, F Fluri, P Schuetz, N Morgenthaler, C Zweifel, R Bingisser, K Mueller, S Meckel, **A Gass, L Kappos, A Steck, S Engelter**, B Mueller, M Christ-Crain

Circulating levels of midregional pro-atrial natriuretic peptide in patients with acute ischemic stroke

J Am Coll Cardiol. 2010 Sept 21; 56(13): 1045-53. (With editorial)
late breaking science, poster, International Stroke Conference 2009,
Impact Factor 12.640

Kennerson ML, Nicholson GA, Kaler SG, Kowalski B, Mercer JF, Tang J, Llanos RM, Chu S, Takata RI, Speck-Martins CE, Baets J, Almeida-Souza L, **Fischer D**, Timmerman V, Taylor PE, Scherer SS, Ferguson TA, Bird TD, De Jonghe P, Feely SM, Shy ME, Garbern JY
Missense Mutations in the Copper Transporter Gene ATP7A Cause X-Linked Distal Hereditary Motor Neuropathy

Am J Hum Genet. 2010.12;86(3):343-352 (9,262*),
Impact Factor 12.303

Kinter J, Broglio L, **Steck AJ**, Tolnay M, **Fuhr P**, Latov N, Kalbermatten D, **Sinnreich M, Schaeren-Wiemers N, Renaud S**

Gene expression profiling in nerve biopsy of vasculitic neuropathy
J Neuroimmunol. 2010 Aug 25;225(1-2):184-9.,
Impact Factor 2.841

Kobel, M., Bechtel, N., Specht, K., Klarhöfer, M., Scheffler, K., Opwis, K., & **Penner, I.K.** (2010). Structural and functional imaging approaches in attention deficit/hyperactivity disorder: Does the temporal lobe play a key role? *Psychiatry Research*, 183(3), 230-236.,
Impact Factor 2.373

Kuhle J, Regeniter A, Leppert D, **Mehling M, Kappos L, Lindberg RL**, Petzold A

A highly sensitive electrochemiluminescence immunoassay for the neurofilament heavy chain protein

J Neuroimmunol, 220 (1-2), 114-119, 2010
(IF: 3.159)

Lindberg RL, Hoffmann F, **Mehling M, Kuhle J, Kappos L**

Altered expression of miR-17-5p in CD4(+) lymphocytes of relapsing-remitting multiple sclerosis patients

Eur J Immunol, 40 (3), 888-898, 2010
(IF: 4.865)

Linke J, Kirsch P, King AV, **Gass A**, Hennerici MG, Bongers A, Wessa M

Motivational orientation modulates the neural response to reward

Neuroimage. 2010 Feb 1;49(3):2618-25
Impact Factor 5.739

Lyrer P, Engelter S

Antithrombotic drugs for carotid artery dissection

Cochrane Database of Systematic Reviews 2010, Oct 6;10: CD000255.

Impact Factor 5.653

MACMANUS DG, MILLER DH, **KAPPOS L**, GOLD R, HAVRDOVA E, LIMMROTH V, POLMAN CH, SCHMIERER K, YOUSRY TA, ERAKSOY M, MELUZINOVA E, DUFEK M, YANG M, O'NEILL GN, DAWSON K

BG-12 reduces evolution of new enhancing lesions to T1-hypointense lesions in patients with multiple sclerosis *J Neurol* 2010 Oct 21,

Impact Factor 2.903

Maeder P, Bracoud L, Chabriat H, **Gass A**, Michel P, Hennerici M.

Design, data management, and population baseline characteristics of the PERFORM magnetic resonance imaging project

J Neurol. 2010 Dec 3. [Epub ahead of print]

Impact Factor 2.903

Mehling M, Lindberg R, Raulf F, **Kuhle J**, Hess C, **Kappos I**, Brinkmann V.

Th17 central memory T cells are reduced by FTY720 in patients with multiple sclerosis.

Neurology, 75 (5), 403-410, 2010

(IF: 8.172)

MEHLING M, LINDBERG R, RAULF F, KUHLE J, HESS C, KAPPOS L, BRINKMANN V

Th17 central memory T cells are reduced by FTY720 in patients with multiple sclerosis

Neurology 2010 Aug 3;75(5):403-10,

Impact Factor 8.172

MESAROS S, ROCCA M, SORMANI M, VALSASINA P, MARKOWITZ C, De STEFANO N, MONTALBAN X, BARKHOF F, RANJEVA J, SAILER M, **KAPPOS L**, COMI G, FILIPPI M

Bimonthly assessment of magnetization transfer magnetic resonance imaging parameters in multiple sclerosis: a 14-month, multicentre, follow-up study

Mult Scler 2010 Mar;16(3):325-31,

Impact Factor 3.279

Meusel T, Westermann B, **Fuhr P**, Hummel T, Welge-Lüssen A

The course of olfactory deficits in patients with Parkinson's disease—a study based on psychophysical and electrophysiological measures.

Neurosci Lett. 2010 Dec 17;486(3):166-70.

Impact Factor 1.925

MONTALBAN X, TINTORE M, SWANTON J, BARKHOF F, FAZEKAS F, FILIPPI M, FREDERIKSEN J, **KAPPOS L**, PALACE J, POLMAN C, ROVARIS M, DE STEFANO N, THOMPSON A, YOUSRY T, ROVIRA A, MILLER DH

MRI criteria for MS in patients with clinically isolated syndromes

Neurology 2010 Feb 2;74(5):427-34,

Impact Factor 8.172

MORROW S, O'CONNOR P, POLMAN C, GOODMAN A, **KAPPOS L**, LUBLIN F, RUDICK R, JURGENSEN S, PAES D, FORRESTAL F, BENEDICT R

Evaluation of the symbol digit modalities test (SDMT) and MS neuropsychological screening questionnaire (MSNQ) in natalizumab-treated MS patients over 48 weeks

Mult Scler 2010 Aug 25,

Impact Factor 3.279

Neidert S, Katan M, Schuetz P, **Fluri F**, Ernst A, Bingisser R, **Kappos L**, **Engelter ST**, **Steck A**, Müller B, Christ-Crain M

Anterior pituitary axis hormones and outcome in acute ischaemic stroke

J Intern Med. 2010 Nov 22. doi: 10.1111/j.1365-2796.2010.02327.x. [Epub ahead of print]

Impact Factor 5.942

PETZOLD A, MONDRIA T, **KUHLE J**, ROCCA MA, CORNELISSEN J, te BOEKHORST P, LOWENBERG B, GIOVANNONI G, FILIPPI M, **KAPPOS L**, HINTZEN R

Evidence for acute neurotoxicity after chemotherapy

Ann Neurol 2010 Dec;68(6):806-15. PubMed PMID:21194151,

Impact Factor 9.317

S Urwyler, P Schuetz, F Fluri, N G Morgenthaler, C Zweifel, A Bergmann, R Bingisser, **L Kappos**, **A Steck**, **S Engelter**, B Mueller, M Christ-Crain, M Katan

Copeptin, the stable peptide of the vasopressin precursor is a good marker to predict 1-year outcome in patients with ischemic cerebrovascular events

Stroke. 2010 Jul;41(7):1564-7.,

Impact Factor 7.041

Papadopoulou A, **D'Souza M**, **Kappos L**, **Yaldizli O**

Dimethyl fumarate for multiple sclerosis

Expert Opin Investig Drugs. 2010 Dec;19(12):1603-12.

Pagani E, Hirsch JG, Pouwels PJ, Horsfield MA, Perego E, **Gass A**, Roosendaal SD, Barkhof F, Agosta F, Rovaris M, Caputo D, Giorgio A, Palace J, Marino S, De Stefano N, Ropele S, Fazekas F, Filippi M.

Intercenter differences in diffusion tensor MRI acquisition

J Magn Reson Imaging. 2010 Jun;31(6):1458-68

Impact Factor 2.026

Papić L, **Fischer D**, Trojanovski S, Höftberger R, Auer-Grumbach et al

SNP-whole genome homozygosity mapping: a quick and powerful tool to achieve an accurate diagnosis in LGMD2 patients

Clinical Genetics In Revision.

Penner, I.K., **Kappos, L.**, **Calabrese, P.**, Filippi, M., Barkhof, F., O'Connor, P., Edan, G., Arnason, B., Freedman, M.S., Cook, S., Hartung, H.-P., Miller, D., Goodin, D., Montalban, X., Comi, G., Polman, C.H., Jeffery, D., Lanius, V., Beckmann K., Pleimes, D., Pohl, C., Sandbrink, R., & Stemper, B. (2010). Relationship between cognitive performance and clinical/MRI variables in early MS. *Multiple Sclerosis*, 16, S119. ,

Impact Factor 3.279

Penner, I.K., **Achnichts, L.**, **Naegelin, Y.**, **Calabrese, P.**, Amann, M., Hirsch, J., Rigotti, D., Gonen, O., **Kappos, L.**, & **Gass, A.** (2010). Whole brain NAA and its relation to cognitive functioning in patients with MS. *Multiple Sclerosis*, 16, S277-278.,

Impact Factor 3.279

Penner, I.K., **Calabrese, P.**, Freedman, M., Polman, C., Edan, G., Hartung, H.-P., Miller, D., Montalban, X., Barkhof, F., Lanius, V., Sandbrink, R., Pohl, C., Stemper, B., & **Kappos, L.** (2010). Treatment effects of IFNB-1b on cognitive performance in patients with a first event suggestive of MS. *Neurology*, 74(9), Suppl2: A368.,

Impact Factor 8.172

Petzold A, Mondria T, **Kuhle J**, Roca M, Cornelissen J, te Boekhorst P, Lowenberg B, Giovannoni G, Filippi M, **Kappos L**, Hintzen R
Evidence for acute neurotoxicity after chemotherapy
Ann Neurol, 68(6), 806-815, 2010
(IF: 9.317)

Pfab F, Valet M, **Sprenger T**, Huss-Marp TJ, Athanasiadis GI, Baurecht HJ, Zimmer C, Behrendt H, Ring J, T.R. Tölle, Darsow U
Temperature modulated histamine-itch in lesional and non-lesional skin in atopic eczema - a combined psychophysical and neuroimaging study
Allergy 2010;65(1):84-94.,
Impact Factor 6.380

PORYAZOVA R., **BENNINGER D.**, WALDVOGEL D., BASSETTI C.L.
Excessive daytime sleepiness in Parkinson's disease: characteristics and determinants
European Journal of Neurology, 2010 Jan 16;63(3):129-135.
ISI Journal Citation Reports © Ranking: 2009:, 51/167 (Clinical Neurology)
Impact Factor: 2.903

Provenzale JM, Stinnett SS, **Engelter ST**
Use of Decrease in Apparent Diffusion Coefficient Values to Predict Infarct Age
Emerg Radiol. 2010. Sep;17(5):391-5. [Epub 2010 May 7]

S. Rauskolb, M. Zagrebelsky, A. Dreznjak, R. Deogracias, T. Matsumoto, S. Wiese, B. Erne, M. Sendtner, **N. Schaeren-Wiemers**, M. Korte, and Y.-A. Barde
Global deprivation of brain-derived neurotrophic factor in the CNS reveals an area-specific requirement for dendritic growth
J Neuroscience, 30:1739-1749.,
Impact Factor 3.292

Reif PS, Strzelczyk, **Rüegg S**, Jacobs AH, Haag A, Hermsen A, Sure U, Knake S, Hamer HM, Strik H, Krämer G, Engenhart-Cabilic, Rosenow F
Symptomatische Epilepsie und Fahreignung bei primären Hirntumoren und Hirnmetastasen – Expertenfrage und systematisches Review
Nervenarzt 2010; 81: 1467-75. (; R: 142/167 in *Clinical Neurology*).
Impact Factor: 0.776

RUDICK R, **KAPPOS L**, KINKEL R, CLANET M, PHILIPS J, HERNDORN R, SANDROCK A, MUNSCHAUER F
3rd. Gender effects on intramuscular interferon beta-1a in relapsing-remitting multiple sclerosis: analysis of 1406 patients.
Mult Scler 2010 Oct 21,
Impact Factor 3.279

SAHRAIAN MA, **RADUE EW**, HALLER S, **KAPPOS L**
Black holes in multiple sclerosis: definition, evolution, and clinical correlations
Acta Neurol Scand 2010 Jul;122(1):1-8,
Impact Factor 2.324

Regina Schlaeger, Yvonne Naegelin, Antje Welge-Lüssen, Dominik Straumann, **Achim Gass, Felix Fluri, Thomas Baumann**
Acute vertigo with double vision - brainstem stroke or stroke mimic?
Cerebrovasc Dis 2010;30:626-627.
Impact factor 3.535

Schlaeger R, Sollberger M

An unusual cause of isolated vomiting
Neurology. 2010 Oct 5;75(14):1303 ,
Impact Factor 8.172

Schubert T, Santini F, Stalder AF, Bock J, Meckel S, **Bonati LH**, Markl M, Wetzel S.
Dampening of Blood Flow Pulsatility along the Carotid Siphon, does Form follow Function?
In press, AJNR Am J Neuroradiol 2011

Seifert CL, Valet M, Pfaffenrath V, Boecker H, Rütger KV, Tölle TR, **Sprenger T**
Neurometabolic correlates of depression and disability in patients with severe episodic pain
J Neurol in press.

Seifert CL, **Sprenger T**, Muecke T, Foerschler A, Poppert H, Hemmer B, Sellner J
Systemic thrombolysis in ischemic stroke after recent oral surgery and management of oral
cavity bleeding
Annals of Emergency Med, in press.

Sollberger M, Neuhaus J, Growden M, Jung J, Ketelle R, Miller BL, Rankin KP
Interpersonal traits change as a function of disease type and severity in degenerative brain
diseases
J Neurol Neurosurg Psychiatry. 2010 Dec 15

Ströbel S, Loparic M, Wendt D, Schenk AD, Candrian C, **Lindberg RLP**, Moldovan F,
Barbero A, Martin I
Anabolic and catabolic responses of human articular chondrocytes to varying oxygen
percentages
Arthr Res Ther;12(2):R34. Epub 2010 Mar 2

URWYLER SA, SCHUETZ P, FLURI F, MORGENTHALER NG, ZWEIFEL C, BERGMANN
A, BINGISSER R, **KAPPOS L, STECK A, ENGELTER S**, MÜLLER B, CHRIST-CRAIN M,
KATAN M
Prognostic value of copeptin: one-year outcome in patients with acute stroke
Stroke 2010 Jul;41(7):1564-7,
Impact Factor 7.041

van den ELSKAMP IJ, BODEN B, DATTOLA V, KNOL DL, FILIPPI M, **KAPPOS L**,
FAZEKAS F, WAGNER K, POHL C, SANDBRINK R, POLMAN CH, UITDEHAAG BM,
BARKHOF F
Cerebral atrophy as outcome measure in short-term phase 2 clinical trials in multiple
sclerosis
Neuroradiology, published online: 05 January 2010

van den ELSKAMP IJ, KNOL DL, VRENKEN H, KARAS G, MEIJERMAN A, FILIPPI M,
KAPPOS L, FAZEKAS F, WAGNER K, POHL C, SANDBRINK R, POLMAN CH,
UITDEHAAG BM, BARKHOF F
Lesional magnetization transfer ratio: a feasible outcome for remyelinating treatment trials in
multiple sclerosis
Mult Scler 2010 Jun;16(6):660-9,
Impact Factor 3.279

Wachter M, Katan M, Muzzarelli S, Rohner A, Christ-Crain M, **Fluri F**, Bernheim A
The role of routine echocardiography in unselected patients with cerebrovascular ischemic
events. *Eur J Neurol.* 2010 Jul 19. [Epub ahead of print].,
Impact Factor 2.510

Wagner KJ, Valet M, Kochs EF, Kriner M, Tölle TR, **Sprenger T**
The mu opioid receptor agonist remifentanyl induces acute dysphoria irrespective of its analgesic properties
J Psychopharmacol 2010;24(3):355-361.,
Impact Factor 3.647

Wattjes MP, Kley R, **Fischer D**
Neuromuscular imaging in inherited muscle diseases
European Radiology. 2010. Apr 27. [Epub ahead of print],
Impact Factor 3.589

Wessa M, Linke J, Witt SH, Nieratschker V, Esslinger C, Kirsch P, Grimm O, Hennerici MG, **Gass A**, King AV, Rietschel M
The CACNA1C risk variant for bipolar disorder influences limbic activity
Mol Psychiatry. 2010 Dec;15(12):1126-7
Impact Factor 3.780

Yaldizli, O., Penner, I.K., Frontzek, K., Madörin, P., **Naegelin, Y.,** Schaelebaum, M., Amann, M., **Papadopoulou, A., Calabrese, P., Radü, E.W., Kappos, L., & Gass, A.** (2010). Regional corpus callosum atrophy, cognitive dysfunction and fatigue in multiple sclerosis patients. *Multiple Sclerosis, 16*, S281.,
Impact Factor 3.279

Yaldizli O, Atefy R, **Gass A,** Sturm D, Glassl S, Tettenborn B, Putzki N
Corpus callosum index and long-term disability in multiple sclerosis patients
J Neurol. 2010 Aug;257(8):1256-64.,
Impact Factor 2.903

Yaldizli O, Kuhl HC, Graf M, Wiesbeck GA, Wurst FM
Risk factors for suicide attempts in patients with alcohol dependence or abuse and a history of depressive symptoms: a subgroup analysis from the WHO/ISBRA study.
Drug Alcohol Rev. 2010 Jan;29(1):64-74.

Zecca, C., Gobbi, C., Economou, N., Gola-Bricalli, M., **Penner, I.K.,** Bassetti, C.L., & **Calabrese, P.** (2010). Fatigue in multiple sclerosis and sleep disorders – similarities and differences. *Multiple Sclerosis, 16*, S279. ,
Impact Factor 3.279

Zimmermann R, **Gschwandtner U,** Wilhelm FH, Pflueger MO, Riecher-Rössler A, **Fuhr P**
EEG spectral power and negative symptoms in at-risk individuals predict transition to psychosis
Schizophr Res. 2010 Nov;123(2-3):208-16.,
Impact Factor 4.458

C Zweifel, M Katan, P Schuetz, N Morgenthaler, A Merlot , B Mueller, M Christ-Crain
Copeptin, a fragment of the vasopressin pro hormone predicts mortality and functional outcome in patients after intracerebral hemorrhage
BMC Neurol.2010, May 26;10(1):34
IF:2.1

International Carotid Stenting Study investigators
Carotid artery stenting compared with endarterectomy in patients with symptomatic carotid stenosis (International Carotid Stenting Study): an interim analysis of a randomised controlled trial
Lancet. 2010 Mar 20;375(9719):985-97. [Epub 2010 Feb 25.],
Impact Factor 30.758